



List of certified products

B&R - Safety - System
Bernecker+Rainer Industrie-Elektronik GmbH,
B&R Strasse 1, 5142 Eggelsberg, Austria

Certificate No.: 968/EZ 301.00/08
EC Type-Examination Certificate Registration No.: 01/205/0596/09

List of certified SafeDESIGNER revisions:

No.	Product name	Description	Revisions									
SD.1	1A43SDxxx	SafeDESIGNER Engineering Version	<table border="1"> <thead> <tr> <th>Software Revision</th> </tr> </thead> <tbody> <tr><td>2.58</td></tr> <tr><td>2.59</td></tr> <tr><td> </td></tr> <tr><td>2.70</td></tr> <tr><td>2.71</td></tr> <tr><td> </td></tr> <tr><td>2.80</td></tr> <tr><td>2.81</td></tr> </tbody> </table>	Software Revision	2.58	2.59		2.70	2.71		2.80	2.81
Software Revision												
2.58												
2.59												
2.70												
2.71												
2.80												
2.81												
SD.2	1A43SDxxx	SafeDESIGNER Maintenance Version										
		SafeDESIGNER Online Help	<table border="1"> <thead> <tr> <th>Online Hilfe</th> </tr> </thead> <tbody> <tr><td>1.40</td></tr> </tbody> </table>	Online Hilfe	1.40							
Online Hilfe												
1.40												

List of certified Libraries:

No.	Description	Library	Revision
LIB.1	SafeDESIGNER PLCopen Library	PLCopen_SF	Version 1.00 from 09/14/07 09:09:21
LIB.2	SafeDESIGNER PLCopen Motion Library	PLCopen_Motion_SF	Version 1.1 from 12/07/09 14:09:58
LIB.3	SafeDESIGNER Motion Library, Extension for positioning functions	PLCopen_Motion_SF_2	Version 2.0 from 02/16/11 11:28:33



List of certified SafeLOGIC revisions:

No.	Product name	Description	Revisions														
SL.1	X20SL8000	SafeLOGIC Standard															
SL.2	X20SL8001	SafeLOGIC Plus	<table border="1"> <thead> <tr> <th>Product Revision</th> </tr> </thead> <tbody> <tr><td>A3</td></tr> <tr><td>A5</td></tr> <tr><td>B0</td></tr> <tr><td>C0</td></tr> <tr><td>D0</td></tr> <tr><td>E0</td></tr> </tbody> </table>	Product Revision	A3	A5	B0	C0	D0	E0	<table border="1"> <thead> <tr> <th>Firmware Version</th> </tr> </thead> <tbody> <tr><td>261</td></tr> <tr><td>262</td></tr> <tr><td>271</td></tr> <tr><td>281</td></tr> <tr><td>283</td></tr> </tbody> </table>	Firmware Version	261	262	271	281	283
Product Revision																	
A3																	
A5																	
B0																	
C0																	
D0																	
E0																	
Firmware Version																	
261																	
262																	
271																	
281																	
283																	
SL.3	X20SL8010	SafeLOGIC Standard, SafeMC															
SL.4	X20SL8011	SafeLOGIC Plus, SafeMC	<table border="1"> <thead> <tr> <th>Product Revision</th> </tr> </thead> <tbody> <tr><td>B0</td></tr> <tr><td>C0</td></tr> <tr><td>E0</td></tr> </tbody> </table>	Product Revision	B0	C0	E0	<table border="1"> <thead> <tr> <th>Firmware Version</th> </tr> </thead> <tbody> <tr><td>271</td></tr> <tr><td>273</td></tr> <tr><td>281</td></tr> <tr><td>283</td></tr> </tbody> </table>	Firmware Version	271	273	281	283				
Product Revision																	
B0																	
C0																	
E0																	
Firmware Version																	
271																	
273																	
281																	
283																	
		Technical Datasheet X20SL8000, X20SL8001, X20SL8010, X20SL8011	<table border="1"> <thead> <tr> <th>Datasheet</th> </tr> </thead> <tbody> <tr><td>1.41</td></tr> </tbody> </table>		Datasheet	1.41											
Datasheet																	
1.41																	
SL.5	X20SLH000	SafeLOGIC Standard, SERCOS III Interface															
SL.6	X20SLH001	SafeLOGIC Plus, SERCOS III Interface	<table border="1"> <thead> <tr> <th>Product Revision</th> </tr> </thead> <tbody> <tr><td>B0</td></tr> <tr><td>C0</td></tr> </tbody> </table>	Product Revision	B0	C0	<table border="1"> <thead> <tr> <th>Firmware Version</th> </tr> </thead> <tbody> <tr><td>273</td></tr> </tbody> </table>	Firmware Version	273								
Product Revision																	
B0																	
C0																	
Firmware Version																	
273																	
		Technical Datasheet X20SLH000, X20SLH001	<table border="1"> <thead> <tr> <th>Datasheet</th> </tr> </thead> <tbody> <tr><td>1.30</td></tr> </tbody> </table>		Datasheet	1.30											
Datasheet																	
1.30																	



List of certified SafelO revisions:




No.	Product name	Description	Revisions																																
X20SI.1	X20SI2100	Safe Digital Input module, 2 channel	<table border="1"> <thead> <tr> <th>Product Revision</th> <th>Firmware Version</th> </tr> </thead> <tbody> <tr><td>A9</td><td>259</td></tr> <tr><td>B0</td><td>260</td></tr> <tr><td>C0</td><td>262</td></tr> <tr><td>D0</td><td>272</td></tr> <tr><td>D3</td><td>273</td></tr> <tr><td>E0</td><td></td></tr> <tr><td>E5</td><td>275</td></tr> <tr><td>F0</td><td></td></tr> <tr><td></td><td>281</td></tr> </tbody> </table>	Product Revision	Firmware Version	A9	259	B0	260	C0	262	D0	272	D3	273	E0		E5	275	F0			281	<table border="1"> <thead> <tr> <th>Firmware Version</th> </tr> </thead> <tbody> <tr><td>259</td></tr> <tr><td>260</td></tr> <tr><td>262</td></tr> <tr><td></td></tr> <tr><td>272</td></tr> <tr><td>273</td></tr> <tr><td></td></tr> <tr><td>275</td></tr> <tr><td></td></tr> <tr><td>281</td></tr> </tbody> </table>	Firmware Version	259	260	262		272	273		275		281
Product Revision	Firmware Version																																		
A9	259																																		
B0	260																																		
C0	262																																		
D0	272																																		
D3	273																																		
E0																																			
E5	275																																		
F0																																			
	281																																		
Firmware Version																																			
259																																			
260																																			
262																																			
272																																			
273																																			
275																																			
281																																			
X20SI.2	X20SI4100	Safe Digital Input module, 4 channel																																	
X20SI.3	X20SI9100	Safe Digital Input module, 20 channel	<table border="1"> <thead> <tr> <th>Product Revision</th> <th>Firmware Version</th> </tr> </thead> <tbody> <tr><td>B0</td><td></td></tr> <tr><td>B2</td><td>272</td></tr> <tr><td>C0</td><td></td></tr> </tbody> </table>	Product Revision	Firmware Version	B0		B2	272	C0		<table border="1"> <thead> <tr> <th>Firmware Version</th> </tr> </thead> <tbody> <tr><td>272</td></tr> </tbody> </table>	Firmware Version	272																					
Product Revision	Firmware Version																																		
B0																																			
B2	272																																		
C0																																			
Firmware Version																																			
272																																			
		Technical Datasheet X20SI2100, X20SI4100, X20SI9100	<table border="1"> <thead> <tr> <th>Datasheet</th> </tr> </thead> <tbody> <tr><td>1.41</td></tr> </tbody> </table>		Datasheet	1.41																													
Datasheet																																			
1.41																																			
X20SO.1	X20SO2110	Safe Digital Output module, 2 channel, 0.5 A	<table border="1"> <thead> <tr> <th>Product Revision</th> <th>Firmware Version</th> </tr> </thead> <tbody> <tr><td>A9</td><td></td></tr> <tr><td>B0</td><td>260</td></tr> <tr><td>C0</td><td>261</td></tr> <tr><td>C3</td><td>262</td></tr> <tr><td>C6</td><td></td></tr> <tr><td>D0</td><td>274</td></tr> <tr><td>D3</td><td>275</td></tr> <tr><td>E0</td><td></td></tr> <tr><td>E5</td><td>280</td></tr> <tr><td>F0</td><td></td></tr> </tbody> </table>	Product Revision	Firmware Version	A9		B0	260	C0	261	C3	262	C6		D0	274	D3	275	E0		E5	280	F0		<table border="1"> <thead> <tr> <th>Firmware Version</th> </tr> </thead> <tbody> <tr><td>260</td></tr> <tr><td>261</td></tr> <tr><td>262</td></tr> <tr><td></td></tr> <tr><td>274</td></tr> <tr><td>275</td></tr> <tr><td></td></tr> <tr><td>280</td></tr> </tbody> </table>	Firmware Version	260	261	262		274	275		280
Product Revision	Firmware Version																																		
A9																																			
B0	260																																		
C0	261																																		
C3	262																																		
C6																																			
D0	274																																		
D3	275																																		
E0																																			
E5	280																																		
F0																																			
Firmware Version																																			
260																																			
261																																			
262																																			
274																																			
275																																			
280																																			
X20SO.2	X20SO2120	Safe Digital Output module, 2 channel, 2 A																																	
X20SO.3	X20SO4110	Safe Digital Output module, 4 channel, 0.5 A																																	
X20SO.4	X20SO4120	Safe Digital Output module, 4 channel, 2 A																																	
		Technical Datasheet X20SO2110, X20SO2120, X20SO4110, X20SO4120	<table border="1"> <thead> <tr> <th>Datasheet</th> </tr> </thead> <tbody> <tr><td>1.40</td></tr> </tbody> </table>		Datasheet	1.40																													
Datasheet																																			
1.40																																			



X20SC.1	X20SC2432	Safe Digital mixed module, 2 channel SI, 2 channel relays SO, 6 A	<table border="1"> <tr><th>Product Revision</th></tr> <tr><td>B0</td></tr> <tr><td>B1</td></tr> <tr><td>C0</td></tr> <tr><td>C5</td></tr> <tr><td>D0</td></tr> </table> <table border="1"> <tr><th>Firmware Version</th></tr> <tr><td>271</td></tr> <tr><td>272</td></tr> <tr><td>273</td></tr> <tr><td>281</td></tr> </table>	Product Revision	B0	B1	C0	C5	D0	Firmware Version	271	272	273	281
Product Revision														
B0														
B1														
C0														
C5														
D0														
Firmware Version														
271														
272														
273														
281														
		Technical Datasheet X20SC2432	<table border="1"> <tr><th>Datasheet</th></tr> <tr><td>1.40</td></tr> </table>	Datasheet	1.40									
Datasheet														
1.40														
X67SC.1	X67SC4122.L12	Safe Digital mixed module, 8 channel SI, 4 channel SO 2 A	<table border="1"> <tr><th>Product Revision</th></tr> <tr><td>A6</td></tr> <tr><td>B0</td></tr> <tr><td>B2</td></tr> <tr><td>C0</td></tr> </table> <table border="1"> <tr><th>Firmware Version</th></tr> <tr><td>272</td></tr> <tr><td>280</td></tr> </table>	Product Revision	A6	B0	B2	C0	Firmware Version	272	280			
Product Revision														
A6														
B0														
B2														
C0														
Firmware Version														
272														
280														
		Technical Datasheet X67SC4122.L12	<table border="1"> <tr><th>Datasheet</th></tr> <tr><td>1.41</td></tr> </table>	Datasheet	1.41									
Datasheet														
1.41														

List of certified User Manual revisions:

Documentation		Revisions					
MASAFETY-GER	Integrated Safety Technology, User Manual German	<table border="1"> <tr><th>Manual Version</th></tr> <tr><td>1.00</td></tr> <tr><td>1.01</td></tr> <tr><td>1.02</td></tr> <tr><td>1.10</td></tr> </table>	Manual Version	1.00	1.01	1.02	1.10
Manual Version							
1.00							
1.01							
1.02							
1.10							
MASAFETY-ENG	Integrated Safety Technology, User Manual English						

	Manufacturer	Test Institute	Certifier
Sign	 Franz Kaufleitner	 Dipl.-Phys. Erich Janoschek	 Dipl.-Ing. Heinz Gall
Date	30 th of June 2011		